

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S660	49	((determin\$4 or evaluat\$4 or find or whether) with (possible or impossible or reconstructable or reconstructible) with (reconstruct\$4 or tomograph\$4)).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/23 13:52
S659	998	378/901.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/23 13:49
S658	1716	378/4.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/23 13:49
S657	164	S655 and S656	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/23 13:48
S655	6772	707/104.1.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/23 13:43
S656	234411	tomography or x\$ray	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/23 13:42
S654	14	("4835372" "4857716" "5553609" "5581460" "5619991" "5734915" "5867821" "5911687" "6272470" "6381029" "6424996" "6501849" "6564256" "6912317").PN. OR ("7082440").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/23 13:42
S653	1	(09/900569).APP.	USPAT; USOCR	OR	ON	2007/11/23 13:39
S652	3	"20020029264"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/23 13:39
S651	125	S650 and S546	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 15:34
S650	1329	only near reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 15:34
S649	26	S648 and S546	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 14:46

EAST Search History

S64 8	298	whether with (decide or decision or evaluat\$4) with reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 13:44
S64 7	47	before with (decide or decision or evaluat\$4) with reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 13:43
S64 6	3	S546 and S645	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 13:41
S64 5	62	prior with (decide or decision or evaluat\$4) with reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 13:41
S64 4	37	S643 not S641	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 13:40
S62 7	1	(angular near2 range) with (decide or decision or evaluat\$4) with reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 13:40
S64 3	41	S642 and S546	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 13:35
S64 2	1055	prior with reconstruct\$4 same (store or stored or storage or memory)	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 13:35
S64 0	120	prior near reconstruct\$4 same (store or stored or storage or memory)	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 13:35
S64 1	4	S640 and S546	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 13:34
S63 9	107	S638 and S546	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 13:33
S63 8	748	prior near reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 13:33
S63 7	6	fruitless same reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 11:45
S62 9	186	((angle or angular or view) near2 range) same (decide or decision or evaluat\$4 or determin\$4) same reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 11:43
S63 6	22	S631 and S634	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/11/21 11:37

EAST Search History

S63 5	8591	S632 and S634	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/11/21 11:37
S63 4	8591	possible with reconstruct\$4	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/11/21 11:37
S63 3	122	S631 and S632	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/11/21 11:37
S63 2	3457603	possible	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/11/21 11:37

EAST Search History

S63 1	170	(US-20030212707-\$ or US-20030181804-\$ or US-20040116797-\$ or US-20040022349-\$ or US-20030206609-\$ or US-20030228041-\$ or US-20030045792-\$ or US-20020154727-\$ or US-20030123603-\$ or US-20030099323-\$ or US-20020054659-\$ or US-20020110216-\$ or US-20020176614-\$ or US-20030109779-\$ or US-20050110788-\$ or US-20040071263-\$ or US-20020016821-\$ or US-20030200297-\$ or US-20030172151-\$ or US-20040001080-\$ or US-20020131628-\$ or US-20020026384-\$ or US-20030140141-\$ or US-20020143575-\$ or US-20020029264-\$ or US-20050111611-\$).did. or (US-20040086075-\$ or US-20030083568-\$ or US-20040230504-\$ or US-20020080910-\$ or US-20060274877-\$ or US-20020141531-\$ or US-20050058239-\$ or US-20030118146-\$ or US-20070217568-\$ or US-20040017881-\$ or US-20070071299-\$ or US-20040019275-\$ or US-20070211847-\$ or US-20020057756-\$).did. or (US-6553248-\$ or US-6411836-\$ or US-5878746-\$ or US-5235510-\$ or US-6988074-\$ or US-6901371-\$ or US-6785410-\$ or US-6819785-\$ or US-6377162-\$ or US-6272469-\$ or US-6787777-\$ or US-6934352-\$ or US-6920201-\$ or US-6907104-\$ or US-5425368-\$ or US-6704388-\$ or US-6198837-\$ or US-6775346-\$ or US-6954802-\$ or US-6849045-\$ or US-6829378-\$ or US-5655084-\$ or US-5513101-\$ or US-6910626-\$ or US-5946371-\$ or US-6424692-\$). did. or (US-5431161-\$ or US-6412980-\$ or US-6325540-\$ or US-5592523-\$ or US-6522712-\$ or US-6359961-\$ or US-6922457-\$ or US-6907099-\$ or US-6917665-\$ or US-6813365-\$ or US-6834097-\$ or	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/11/21 11:36
----------	-----	---	--	----	----	------------------

EAST Search History

S63 0	67	S629 and S546	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 11:14
S62 8	1	(angular near2 range) with (decide or decision or evaluat\$4 or determine) with reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:54
S62 6	11	S625 and S546	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:52
S62 5	409	predict with reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:45
S62 4	26	S623 and S546	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:45
S62 3	562	retrieval with data same reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:38
S62 2	66	stand near alone with reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:26
S62 0	41	S619 and S546	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:26
S62 1	556	S619 and S567	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:24
S61 9	1608	reconstruct\$4 with remote	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:23
S61 8	608	reconstruction with remote	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:23
S61 6	311	reconstruction with service	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:23
S61 7	2	S616 and S546	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:22
S61 5	0	reconstuction with service	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:22
S61 4	20	(stored near data) with reconstruct\$4 same(decide or decision)	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:19

EAST Search History

S61 3	4	(stored near data) with reconstruct\$4 with (decide or decision)	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:18
S61 1	2426	(stored near data) with reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:16
S61 2	189	S611 and S546	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:10
S61 0	5	S609 and S546	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:08
S60 9	341	"later time" with reconstruct\$	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:07
S60 8	88560	"later time"	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:06
S60 7	1	"at a later time"	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:06
S60 6	88	impractical with reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:06
S60 5	135797	impractical	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:03
S60 4	112375	incapable	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:03
S60 3	0	incapable same reconstuct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:02
S60 2	0	incapable with reconstuct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:01
S60 1	0	"without" with reconstuct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:01
S60 0	0	without with reconstuct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:00
S59 9	0	"when".u/c. with reconstuct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 10:00

EAST Search History

S59 8	0	"when" with reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 09:58
S59 7	0	when with reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 09:57
S59 6	3	subsequent with reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 09:56
S59 5	1	subsequent near2 reconstruction	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 09:56
S59 4	7	subsiquent	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 09:55
S59 3	39	S592 and S546	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 09:54
S59 2	479	((truncated or missing) same (possible or impossible)) same reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 09:51
S59 1	115	((truncated or missing) same (decide or decision)) same reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 09:51
S59 0	59	((truncated or missing) with (decide or decision)) same reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 09:49
S58 9	3	truncated with (decide or decision) with reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 09:48
S58 8	32	missing with (decide or decision) with reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 09:48
S58 4	1107	corrupt\$3 with reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 09:46
S58 7	7	S546 and S586	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 09:45
S58 6	62	useless with reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 09:45
S58 5	41	S584 and S546	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 09:43

EAST Search History

S58 3	53405	corrupt\$3	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 09:26
S58 2	5	S581 and S546	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 09:25
S58 1	190	S580 not S579	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 09:24
S58 0	217	deficien\$2 with reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 09:24
S57 9	27	deficien\$2 with data with reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 09:24
S57 8	27	S546 and S577	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 09:18
S57 7	41532	whether with sufficient	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 09:18
S57 6	2	S574 and S575	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 09:18
S57 5	31792	tomography	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 09:18
S57 4	81	S572 and S567	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 09:17
S57 3	23	S572 and S546	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 08:53
S57 2	423	cancel\$3 with reconstruct\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 08:53
S57 1	106	determin\$4 with ((half near scan) or "half-scan" or (partial near scan) or "partial-scan")	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 08:31
S57 0	8	S568 and S569	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 08:28

EAST Search History

S56 9	49522	tomography	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 08:28
S56 8	387	S567 and S563	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 08:28
S56 7	551357	S565 or S566	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 08:28
S56 4	54	S546 and S563	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 08:28
S56 6	235251	71?/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 08:27
S56 5	360193	70?/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 08:27
S56 3	1348	(decide or decision) with reconstruct\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 08:19

EAST Search History

S56 2	11	("5043890" "5457724").PN. OR ("5528644").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 08:14
S56 1	2	("5594772").PN. OR ("6560307"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 07:51
S56 0	1	(09/362571).APP.	USPAT; USOCR	OR	ON	2007/11/21 07:43
S55 9	3	("2002/0057756").URPN.	USPAT	OR	ON	2007/11/21 07:42
S55 8	7	("20030123718" "5748697" "6115487" "6324243" "6324247" "6463118" "6597803").PN. OR ("6829325").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/21 07:18
S55 7	1	(10/319354).APP.	USPAT; USOCR	OR	ON	2007/11/21 07:16
S55 6	0	("2003/0118146").URPN.	USPAT	OR	ON	2007/11/21 07:16
S55 5	166	S546 and S554	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 07:07
S55 4	3115	whether with reconstruct\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 06:51
S55 3	1	S551 and S552	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 06:51
S55 2	1638277	determining	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 06:23

EAST Search History

S55 1	2	("20020141531").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 06:23
S55 0	29	S546 and S549	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 06:23
S54 9	40536	"data management"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 06:15
S54 8	182	S546 and S547	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 06:14
S54 7	26509	"complete set"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 06:13
S54 6	5635	378/4-20.ccls. or 382/131.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 06:13
S54 5	222	S544 not S542	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 06:12

EAST Search History

S54 4	343	reconstruction with impossible	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 06:07
S54 3	189	reconstruction near4 impossible	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 06:07
S54 2	121	reconstruction near2 impossible	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 06:07
S1	2	("20040116797").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 05:52
S54 1	52	(determine with sufficient) same reconstruction	USPAT; USOCR	OR	ON	2007/11/18 17:08
S54 0	8	(determine with complete with set) same reconstruction	USPAT; USOCR	OR	ON	2007/11/18 17:08
S53 5	51	determine with reconstruction with possible	USPAT; USOCR	OR	ON	2007/11/18 17:04
S53 9	7	("4649555" "5592523" "5841473").PN. OR ("6424692").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/18 17:01
S53 8	24	perform adj reconstruction with only	USPAT; USOCR	OR	ON	2007/11/18 16:57
S53 7	200	reconstruction adj possible	USPAT; USOCR	OR	ON	2007/11/18 16:45
S53 6	3	("5612985" "5671265" "6028907").PN. OR ("6934352").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/18 16:41
S53 4	22	initiate adj reconstruction	USPAT; USOCR	OR	ON	2007/11/18 16:32
S53 3	1	("2003/0181804").URPN.	USPAT	OR	ON	2007/11/18 14:27

EAST Search History

S52 8	85	(daniel with gagnon).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/18 14:25
S53 2	62	("4839822" "5133020" "5235510" "5437278" "5463548" "5465308").PN. OR ("5878746"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/18 14:21
S53 1	11	("5734915" "6117079" "6125350" "6260021").PN. OR ("6411836").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/18 14:15
S53 0	9	("5235510" "5878746" "6097977" "6198839" "6266453" "6269177" "6351573" "6411836").PN. OR ("6553248"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/18 14:14
S52 9	2	(jerome with brack).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/18 14:14
S52 7	2	"20030212707"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/18 14:13
S52 6	2	("20020029264").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/15 22:33
S52 5	1	10/722417	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 22:33

EAST Search History

S52 4	0	"New technical developments in multislice CT"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 22:26
S52 3	2	("6819736").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/15 21:49
S52 2	1	flohr.in. and "Adaptive Multiplanar Reconstruction"	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 21:45
S52 1	2	flohr.in. and AMPR	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 21:43
S52 0	0	flohr.in. and "16 slice"	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 21:43
S51 9	0	flohr.in. and "16-slice"	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 21:41
S51 8	5	("5396418").PN. OR ("6522714").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 21:40
S51 7	1	2003-709135.NRAN.	DERWENT	OR	ON	2007/11/15 19:59
S51 6	2	("20030123603").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/15 19:59
S51 5	61	S514 and reconstruction	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 19:59
S51 3	77	S512 and reconstruction	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 19:48

EAST Search History

S51 4	515	("4-row" or "4 row" or "4 rows" or "4-rows" or "4-detector" or "4 detector" or "4-detectors" or "4-slice" or "4 slice " or "4 slices" or "4-slices" or "4-slice " or "4 slice " or "4-slices" or "four-row" or "four row" or "four rows" or "four-rows" or "four-detector" or "four detector" or "four-detectors" or "four-slice" or "four slice " or "four slices" or "four-slices" or "four-slice " or "four slice " or "four-slices") with ("8-row" or "8 row" or "8 rows" or "8-rows" or "8-detector" or "8 detector" or "8-detectors" or "8-slice" or "8 slice " or "8 slices" or "8-slices" or "8-slice " or "8 slice " or "8-slices" or "eight-row" or "eight row" or "eight rows" or "eight-rows" or "eight-detector" or "eight detector" or "eight-detectors" or "eight-slice" or "eight slice " or "eight slices" or "eight-slices" or "eight-slice " or "eight-slices")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 19:47
S46 4	16434	"4-row" or "4 row" or "4 rows" or "4-rows" or "4-detector" or "4 detector" or "4-detectors"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 19:39
S51 2	235	S511 and approximation	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 19:07
S51 1	3018	S508 and S509	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 19:07
S51 0	9713	S466 or S469 or S452	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 19:07
S50 9	14260	S465 or S468 or S451	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 19:06
S50 8	34122	S464 or S467 or S429	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 19:06
S50 7	1566	approximation and S483	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 19:05

EAST Search History

S50 6	269	approximation and S463	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 19:02
S48 3	34122	S464 or S429 or S467	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 19:02
S50 5	1	S504 not S495	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 19:01
S50 4	8	(small near cone near angle) same approximation	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 19:01
S49 5	7	(small near cone near angle) with approximation	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 19:00
S50 3	12	("5974108" "5999587" "6075836" "6118841").PN. OR ("6415012").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 18:58
S50 2	2	("6415012").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/15 18:38
S50 1	0	("200200283080").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/15 17:35
S50 0	7	("5999587" "6263040" "6332013" "6477221" "6504892" "6678346" "6904117").PN. OR ("7154986").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 17:35
S49 9	1	(11/024683).APP.	USPAT; USOCR	OR	ON	2007/11/15 17:31
S49 8	8	("5999587" "6263040" "6332013" "6415012" "6477221" "6504892" "6678346").PN. OR ("6904117").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 17:30
S49 7	1	(10/283080).APP.	USPAT; USOCR	OR	ON	2007/11/15 17:29
S49 6	7	("5999587" "6263040" "6332013" "6477221" "6504892" "6678346" "6904117").PN. OR ("7154986").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 17:27

EAST Search History

S49 4	79	reconstruction and S493	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 17:23
S49 3	2195	multiline	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 16:40
S49 2	13	("5032728" "5319206" "5566218" "5629524" "5635718" "5692507" "5694446" "5786597" "6198791").PN. OR ("6760404").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 16:40
S49 1	2061	S483 and S487	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 15:20
S48 9	25997	"378"/\$.ccis.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 15:20
S48 7	94000	S485 and S486	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 15:19
S48 6	204826	("2-d" or (("2" or two) adj dimension\$2) or two\$dimension\$3 or 2d) and (imag\$3 or reconstruct\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 15:18
S48 5	192768	("3-d" or (("3" or three) adj dimension\$2) or three\$dimension\$3 or 3d) and (imag\$3 or reconstruct\$3) or (volumetric adj2 imag\$3) or (volumetric adj2 reconstruct\$3) or (volumetric adj2 imag\$3 adj2 reconstruct\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 15:16
S48 4	27	S482 and S483	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 15:15
S48 2	1740	nutating	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 15:12
S48 1	87	S480 not S479	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 15:12
S48 0	91	multi-slice with algorithm	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 15:04
S47 9	23	multislice with algorithm	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 15:04

EAST Search History

S47 8	1	"multislice algorithm"	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 14:58
S47 7	0	"multi-slice algorithm"	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 14:58
S47 6	12	("5974108" "5999587" "6075836" "6118841").PN. OR ("6415012").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 14:57
S47 5	85	S474 and reconstruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:30
S47 4	1094	S467 and S468	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:30
S47 3	107	S467 and S471	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:30
S47 2	0	S470 and S471	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:27
S47 1	14161	((different or select) near (algorithm or (method near2 reconstruction)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:26
S47 0	59	S467 and S468 and S469	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:25

EAST Search History

S46 9	1069	"sixteen-row" or "sixteen row" or "sixteen rows" or "sixteen-rows" or "sixteen-detector" or "sixteen detector" or "sixteen-detectors"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:24
S46 8	5348	"eight-row" or "eight row" or "eight rows" or "eight-rows" or "eight-detector" or "eight detector" or "eight-detectors"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:23
S46 7	21857	"four-row" or "four row" or "four rows" or "four-rows" or "four-detector" or "four detector" or "four-detectors"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:23
S46 6	9215	"16-row" or "16 row" or "16 rows" or "16-rows" or "16-detector" or "16 detector" or "16-detectors"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:22
S46 5	10378	"8-row" or "8 row" or "8 rows" or "8-rows" or "8-detector" or "8 detector" or "8-detectors"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:21
S46 3	808	S462 and reconstruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:19
S46 2	9486	different near algorithms	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:18

EAST Search History

S46 1	7	08/797,101	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 14:10
S46 0	7	08/779961	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:06
S45 9	6	08/561382	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:06
S45 8	10	((("5,469,487") or ("5,513,236") or ("5,541,970") or ("5,559,847") or ("5,606,585")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/15 13:05
S45 7	45	((("multi near slice) or "multi-slice" or multislice) and reconstruction).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 12:59
S45 6	4	("5459769" "5612985" "6366638").PN. OR ("6782071").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 11:40
S45 5	178	S429 and S451	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:33

EAST Search History

S45 4	4	S429 and S451 and S452 and S453	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:33
S45 3	270	S445 or S446 or S447 or S448 or S449 or S450	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:32
S45 2	586	S438 or S439 or S440 or S441 or S442 or S443 or S444	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:32
S45 1	770	S430 or S431 or S432 or S433 or S434 or S435 or S436 or S437	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:31
S45 0	11	"thirty two slices"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:29
S44 5	155	"32 slice"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:29
S44 9	9	"thirty-two slices"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:28

EAST Search History

S44 8	11	"32-slice"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:28
S44 7	2	"32-slices"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:28
S44 6	112	"32 slices"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:28
S44 4	20	"sixteen slice"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:28
S44 3	62	"sixteen slices"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:28
S44 2	4	"sixteen-slice"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:27
S44 1	29	"16-slice"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:27

EAST Search History

S44 0	1	"16-slices"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:27
S43 9	189	"16 slices"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:27
S43 8	348	"16 slice"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:27
S43 7	86	"eight slice"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:27
S43 6	226	"eight slices"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:27
S43 5	0	"eight-slices"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:27
S43 4	28	"eight-slice"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:27

EAST Search History

S43 0	304	"8 slice"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:27
S42 5	170	"four-slice"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:27
S43 3	21	"8-slice"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:26
S43 2	3	"8-slices"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:26
S43 1	234	"8 slices"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:26
S42 9	1693	S419 or S420 or S421 or S422 or S423 or S424 or S425 or S426 or S427 or S428	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:26
S42 3	1	"4-slices"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:26

EAST Search History

S42 0	392	"4 slices"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:26
S41 9	536	"4 slice"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:26
S42 8	3	"four-slices"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:25
S42 7	788	"four slices"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:25
S42 6	321	"four slice"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:25
S42 4	16	"4-slice"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:25
S42 2	893	S419 or S420	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:24

EAST Search History

S41 8	22	first near reconstruction near method	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:24
S41 7	83	S416 not S413	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:20
S41 6	106	select with reconstruction with method	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:16
S41 5	4	candidate near2 reconstruction near2 method	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:16
S41 3	23	select near2 reconstruction near2 method	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:16
S41 1	3	candidate near reconstruction near method	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:16
S41 4	17	S413 not S412	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:14

EAST Search History

S41 2	6	select near reconstruction near method	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 11:14
S41 0	18	("5166961" "5684855" "6056437" "6157696" "6173031" "6215843" "6243438" "6259766").PN. OR ("6445764").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 11:12
S40 9	10	("5166961" "6157696" "6188745" "6215843" "6243438" "6259766" "6400793").PN. OR ("6535571").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 11:00
S40 8	12	("4725734" "4747117" "4965726" "5430784").PN. OR ("6157696").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 10:53
S40 7	5	("5825842" "6157696" "6295331" "6529576" "6658082").PN. OR ("6922457").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/15 10:45
S40 6	1	(10/306225).APP.	USPAT; USOCR	OR	ON	2007/11/15 10:45
S40 5	4	("2003/0123603").URPN.	USPAT	OR	ON	2007/11/15 10:22
S40 4	21	("20020122528" "5090037" "5216601" "5602891" "5647360" "5668845" "6292527" "6373920" "6463118" "6522712" "6539074").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 10:11
S40 3	28	((fan or (fan near beam) or fanbeam) with reconstruct\$4) and ((cone or (cone near beam) or conebeam) with reconstruct\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 10:11
S40 2	3	(select with fan) and reconstruction	DERWENT	OR	ON	2007/11/14 18:38
S40 1	6	(select with algorithm) and reconstruction	DERWENT	OR	ON	2007/11/14 18:38
S40 0	1437	(select with algorithm)	DERWENT	OR	ON	2007/11/14 18:36
S39 9	0	(select with algorithm) same multi-slice	DERWENT	OR	ON	2007/11/14 18:36

EAST Search History

S39 8	0	(select near algorithm) same multi-slice	DERWENT	OR	ON	2007/11/14 18:36
S39 7	0	(select near algorithm) same multislice	DERWENT	OR	ON	2007/11/14 18:36
S39 6	0	(select near algorithm) same multi near slice	DERWENT	OR	ON	2007/11/14 18:36
S39 5	4	(cone-beam) same (fan-beam) same reconstruction	DERWENT	OR	ON	2007/11/14 18:35
S39 4	0	(conebeam) same (fanbeam) same reconstruction	DERWENT	OR	ON	2007/11/14 18:35
S39 3	8	(cone near beam) same (fan near beam) same reconstruction	DERWENT	OR	ON	2007/11/14 18:35
S39 2	4	(cone near beam) same (fan near beam) same algorithm	DERWENT	OR	ON	2007/11/14 18:34
S39 1	3	(cone near beam) with (fan near beam) with algorithm	DERWENT	OR	ON	2007/11/14 18:33
S39 0	8	(cone near beam) with (fan near beam) with reconstruction	DERWENT	OR	ON	2007/11/14 18:32
S38 9	1	2002-713919.NRAN.	DERWENT	OR	ON	2007/11/14 18:27
S38 8	2	("20040230504").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/14 18:09
S38 7	4	"4-slice" and "8-slice"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 18:09